



ROMCO

Division Boudreault Canada Ltd./Ltée

MATTING CATALOGUE





Super Nop

- ▲ The ultimate performer with the look of quiet sophistication
- ▲ Super heavy duty needlepunch matting with hobnail pattern
- ▲ Made with 100% ASOTA® solution dyed polypropylene fibres and can be installed indoors as well as outdoors
- ▲ 1750 g/m² (52 oz./yd.2) face weight
- ▲ Di-Back, Natural-Synthetic Composite Rubber backing
- ▲ 3200 g/m² (95 oz./yd.2 or .70 lbs./ft.2) total weight
- ▲ Spike and skate resistant and impervious to many chemicals such as caustic soda, chlorine, petroleum products, ice melters and salts
- ▲ Permanently antistatic and has enhanced UV stability
- ▲ Mold and mildew resistant and can be cleaned by vacuuming, hosing or hot water extraction
- ▲ Holds approximately 7 liters or 1.85 gallons of water per square yard
- ▲ Arrows on backing indicate pile direction for installation
- ▲ Edging, Logo and Seaming programs available
- ▲ Passes C.G.S.B. Standards for Flammability (Pill Test)
- ▲ Meets Flammability Standard DOC-FF-1-70 (Pill Test)
- ▲ Made in Holland (EC)

SIZES:	PART CODE:
1 m Roll*/Cut	SKN CC 1000
2 m Roll*/Cut	SKN CC 2000
* Roll Lengths 21 m (69 ft.) +/-	CC = Colour Number





Prime Nop

- ▲ Superior ASOTA® fibre designed to provide multidirectional protection ideal for the demands of high traffic areas
- ▲ Heavy duty needlepunch matting with hobnail pattern
- ▲ Made with 100% ASOTA® solution dyed polypropylene fibres and can be installed indoors as well as outdoors
- ▲ 1200 g/m² (37 oz./yd.2) face weight
- ▲ 2600 g/m² (77 oz./yd.2 or .55 lbs./ft.2) total weight
- ▲ Di-back Natural-Synthetic Composite Rubber backing
- ▲ Impervious to many chemicals such as caustic soda, chlorine, petroleum products, ice melters and salt
- ▲ Use where heavy traffic demands extra durability in a matting product
- ▲ Permanently antistatic and has enhanced UV stability
- ▲ Mold and mildew resistant and can be cleaned by vacuuming, hosing or hot water extraction
- ▲ Holds approximately 5.5 liters or 1.45 gallons of water per square yard
- ▲ Arrows on backing indicate pile direction for installation
- ▲ Edging and Seaming programs available
- ▲ Passes C.G.S.B. Standards for Flammability (Pill Test)
- ▲ Meets Flammability Standard DOC-FF-1-70 (Pill Test)
- ▲ Made in Holland (EC)

SIZE:

1 m Roll*/Cut
2 m Roll*/Cut

PART CODE:

PKNCC1000
PKNCC2000

* Roll Lengths 21 m (69 ft.) +/-

CC = Colour Number



20 Charcoal



55 Sea Green




25 Grey



40 Blue



10 Chocolate



44 Blue Grey



15 Beige



35 Burgundy



50 Green



30 Red



Competitor Series

- ▲ Heavy duty slip resistant antifatigue can handle punishing environments
- ▲ Natural and Nitrile Rubber construction with perforated face style
- ▲ 48 lbs. each; 7/8 in. thickness
- ▲ Individuals or Linear Connectables
- ▲ Custom sizes and side connectors available

STANDARD (BLACK) PART CODE

3 ft. x 5 ft. Individual	CBI220305
3 ft. x 5 ft. Center	CBC220305
3 ft. x 5 ft. End	CBE220305
3 Year Prorated Warranty	



Built in beveled edges and connector system.

GREASE PROOF (BURNT ORANGE) PART CODE

3 ft. x 5 ft. Individual	CBI140305
3 ft. x 5 ft. Center	CBC140305
3 ft. x 5 ft. End	CBE140305
5 Year Prorated Warranty	



Competitor Series Light

- ▲ Medium duty mat is ideal for lighter industrial use or the cost conscious consumer
- ▲ Natural and Nitrile Rubber construction with perforated face style
- ▲ 25 lbs. each; 1/2 in. thickness
- ▲ Seamed custom sizes available
- ▲ (3 ft. x 10 ft., 3 ft. x 15 ft. or 3 ft. x 20 ft. +/-)

STANDARD (BLACK) PART CODE

3 ft. x 5 ft. Individual	CSL220305
3 Year Prorated Warranty	



Built in beveled edges.

GREASE PROOF (BURNT ORANGE) PART CODE

3 ft. x 5 ft. Individual	CSL140305
5 Year Prorated Warranty	



Stand Easy Premier

- ▲ 100% Nitrile Rubber composition provides exceptional grease resistance with resilient comfort
- ▲ Solid Top/Open Top face style
- ▲ Solid Top - 20 lbs. each; Open Top - 15 lbs. each; 5/8 in. thickness
- ▲ Modular Connectables
- ▲ Medium to heavy duty
- ▲ 5 Year prorated warranty
- ▲ Built to specification orders available

SOLID TOP PART CODE


3 ft. x 3 ft. Modular	SPS220303
-----------------------	-----------

OPEN TOP PART CODE

3 ft. x 3 ft. Modular	SPO220303
-----------------------	-----------

ADD ONS PART CODE

Connectors	CON220003
Black Borders	EDG220003
Yellow Borders	EDG370003



Open Top



Solid Top

Stand Easy

- ▲ This Natural Rubber antifatigue mat is ideal for building custom work areas
- ▲ Solid Top/Open Top face style
- ▲ Solid Top - 20 lbs. each
- ▲ Open Top - 15 lbs. each
- ▲ 5/8 in. thickness
- ▲ Modular Connectables
- ▲ Medium to heavy duty
- ▲ 3 Year prorated warranty
- ▲ Built to specification orders available

SOLID TOP PART CODE


3 ft. x 3 ft. Modular	SES220303
-----------------------	-----------

OPEN TOP PART CODE

3 ft. x 3 ft. Modular	SEO220303
-----------------------	-----------

ADD ONS PART CODE

Connectors	CON220003
Black Borders	EDG220003
Yellow Borders	EDG370003



Open Top




Solid Top



Weldeez™

- ▲ Safe heavy duty antifatigue for welding and fabrication
- ▲ Specially compounded Rubber construction
- ▲ Solid Domed Top face style
- ▲ 20 lbs. each; 5/8 in. thickness
- ▲ Individuals or Linear Connectables
- ▲ Bevelled edges

SIZE	PART CODE
3 ft. x 4 ft. Individuals	WEI220304
3 ft. x 4 ft. Interlocking Ends	WEE220304
3 ft. x 4 ft. Interlocking Centers	WEC220304



Weldeez™ Modular GPR

- ▲ Safe heavy duty antifatigue for welding and fabrication
- ▲ Specially compounded Rubber construction
- ▲ Solid Top face style
- ▲ 28 lbs. each; 5/8 in. thickness
- ▲ Modular Connectables
- ▲ Grease proof
- ▲ Edges available

SIZE	PART CODE
3 ft. x 3 ft. Interlocking	WEM220303
Bevelled Edge Strip	EDG370003

Kineta-Flex™

- ▲ Nitrile Rubber
- ▲ Solid Domed Top face style
- ▲ 2 ft. x 3 ft. Individual - 10 lbs. each
- ▲ 3 ft. x 4 ft. Individual - 20 lbs. each
- ▲ Connectable Center - 10 lbs. each
- ▲ Connectable End - 5.5 lbs. each
- ▲ 5/8 in. thickness
- ▲ Individuals or Linear Connectables
- ▲ Medium to heavy duty
- ▲ 5 Year prorated warranty

SIZE	PART CODE
2 ft. x 3 ft. Individual	KFI220203
3 ft. x 4 ft. Individual	KFI220304
31 1/2 in. x 26 in. Center	KFC223226
31 1/2 in. x 11 1/2 in. End	KFE223212



Interlocking Connectors



Air Cushioned Comfort



Bubble Mat

- ▲ This air cushioned antifatigue mat includes an integrated beveled edge
- ▲ Natural Rubber construction
- ▲ Domed Top (Solid) face style
- ▲ 1 Year warranty
- ▲ 9 lbs. - 18 lbs.
- ▲ Individuals or Linear Connectables
- ▲ 5/8 in. thickness
- ▲ Medium to heavy application



97 Black/Yellow



22 Black



BLACK	PART CODE
24 in. x 36 in. Individual	BMI220203
36 in. x 48 in. Individual	BMI220304
36 in. x 48 in. Center	BMC220304
36 in. x 48 in. End	BME220304


BLACK/YELLOW	PART CODE
24 in. x 36 in. Individual	BMI970203
36 in. x 48 in. Individual	BMI970304
36 in. x 48 in. Center	BMC970304
36 in. x 48 in. End	BME970304

Vynagrip II

- ▲ Superior slip resistant antifatigue mat welded Extruded PVC duckboard
- ▲ Super Etched face style
- ▲ 1.5 lbs./ft.²; 1/2 in. thickness
- ▲ Wet or dry - medium to heavy duty
- ▲ Edging available special order only


SIZE	PART CODE
2 ft. Roll*/Cut	VYG220200
2.5 ft. Roll*/Cut**	VYG227500**
3 ft. Roll*/Cut	VYG220300
4 ft. Roll*/Cut	VYG220400

* Roll Lengths 10 m (33 ft.) +/-
 ** 2.5 ft. is a Special Order Item



Plasti-Grip II

- ▲ An excellent slip resistant Extruded PVC antifatigue matting impervious to bacteria and resistant to most chemicals
- ▲ Embossed face style
- ▲ 1.35 lbs./ft.²; 3/8 in. thickness
- ▲ Wet or dry - medium to heavy duty
- ▲ 1 Year warranty



SIZE	PART CODE
2 ft. Roll*/Cut	PLGCC0200
3 ft. Roll*/Cut	PLGCC0300
4 ft. Roll*/Cut	PLGCC0400

* Roll Lengths 10 m (33 ft.) +/- CC = Colour Number

Cushion Tile

- ▲ Superior chemical resistance in an interlocking modular antifatigue tile
- ▲ (PVC) Vinyl construction
- ▲ Slotted face style
- ▲ 1 ft. x 1 ft. tiles
- ▲ 1.5 lbs./ft.²; 3/4 in. thick
- ▲ Add on borders



Edging colour options:



MODULAR TILE PART CODE

1/4 in. Slot	CTQ220101
1/2 in. Slot	CTH220101

CORNERS PART CODE

Male	CMCCC0000
Female	CFCCC0000

EDGES PART CODE

Male	CMECC0000
Female	CFECC0000

CC = Colour Number



V-Dek



- ▲ Ideal for wet area where drainage and slip protection are required or around workplace areas for superior antifatigue
- ▲ (PVC) Vinyl construction
- ▲ Dimpled/Slotted face style
- ▲ .75 lbs./ft.²; 3/8 in. thick
- ▲ Add on borders
- ▲ Modular connectable



SIZE PART CODE

1 ft. x 1 ft.	VDKCC0101
Edges (Female)	VFEC0000
Edges (Male)	VMECC0000
Corners	VDC0000

CC = Colour Number



Airsoft™ Plus

- ▲ Deep vinyl foam cushioning protects against impact injuries and provides comfort
- ▲ (PVC) Vinyl sponge construction
- ▲ Pebbled face style
- ▲ .72 lbs./ft.²
- ▲ Tapered side edge
- ▲ 5/8 in. thick
- ▲ Medium application



25 Grey

SIZE	PART CODE
2 ft. x 60 ft. Roll	APP250200
3 ft. x 60 ft. Roll	APP250300
4 ft. x 60 ft. Roll	APP250400



Airsoft™ Standard


- ▲ Effective antifatigue helps to boost worker productivity
- ▲ (PVC) Vinyl sponge construction
- ▲ Ribbed/Pebbled face style
- ▲ Tapered side edge
- ▲ .62 lbs./ft.²; 3/8 in. thickness
- ▲ Light to medium duty

STANDARD	PART CODE
2 ft. x 60 ft. Roll	ASRCC0200
3 ft. x 60 ft. Roll	ASRCC0300
4 ft. x 60 ft. Roll	ASRCC0400

CC = Colour number



25 Grey - Rib/Pebble




22 Black - Rib/Pebble



Airsoft™ Safety

- ▲ Effective antifatigue helps to boost worker productivity
- ▲ (PVC) Vinyl sponge construction
- ▲ Pebbled face style
- ▲ Tapered side edge
- ▲ .62 lbs./ft.²; 3/8 in. thickness
- ▲ Light to medium duty



97 Black/Yellow

SAFETY	PART CODE
2 ft. x 60 ft. Roll	ASP970200
3 ft. x 60 ft. Roll	ASP970300
4 ft. x 60 ft. Roll	ASP970400



Foam Fusion

- ▲ Diamond Plate matting is laminated to blown PVC vinyl foam that has slip resistance
- ▲ 1.4 lbs./ft.²; 5/8 in. thickness
- ▲ Dry Application Antifatigue

SIZE	PART CODE
2 ft. x 3 ft.	FMFCC0203
3 ft. x 5 ft.	FMFCC0305
2 ft. Roll*/Cut	FMFCC0200
3 ft. Roll*/Cut	FMFCC0300
4 ft. Roll*/Cut	FMFCC0400

* Roll Lengths 75 ft. +/- CC = Colour Number



Tapered edge

**FOAM
FUSION**



22 Black



97 Black/Yellow

Wide Rib Rubber Matting

- ▲ Durable and economical protection
- ▲ Rubber construction
- ▲ 1/8 in. - .85 lbs./ft.2
- ▲ 1/4 in. - 1.25 lbs./ft.2
- ▲ Cut sizes available
- ▲ Medium to heavy application

SIZE	PART CODE
2 ft. Roll*/Cut (1/8 in.)	WRSCC0200
3 ft. Roll*/Cut (1/8 in.)	WRSCC0300
4 ft. Roll*/Cut (1/8 in.)	WRSCC0400

SIZE	PART CODE
2 ft. Roll*/Cut (1/4 in.)	WRQCC0200
3 ft. Roll*/Cut (1/4 in.)	WRQCC0300
4 ft. Roll*/Cut (1/4 in.)	WRQCC0400

* Roll Lengths 75 ft. +/-



Disinfectant Mat

- ▲ Effective containment and passive application of liquid disinfectants for any environment
- ▲ Rubber construction
- ▲ 25 lbs. each
- ▲ 2 in. thickness; 1.75 in. depth


SIZE	PART CODE
32 in. x 39 in.	DIM223239



Clean Room Mat

- ▲ Hi-tech dirt and dust control
- ▲ Polyethylene film construction with self adhering backing
- ▲ 30 peel and toss sheets per mat
- ▲ 5 lbs. per case (4 mats per case)
- ▲ 3/8 in. thickness
- ▲ Sold by the case only

SIZE	PART CODE
18 in. x 47 in.	SNC231847
36 in. x 36 in.	SNC233636



Release adhesive backing holds mat securely in place.




Scraper Mat

- ▲ Low profile Natural Rubber scraper great for outdoor use
- ▲ Elongated Bar face style
- ▲ 15 lbs. each
- ▲ Medium to heavy duty




SIZE	PART CODE
3 ft. x 5 ft.	SLM220305



Gritstop Fingermat™

- ▲ Super scraper fingers and containment well go after the worst in heavy soil and snow
- ▲ Rubber construction
- ▲ Finger tip face style
- ▲ 5 Year prorated warranty
- ▲ 2.25 lbs./ft.²; 5/8 in. thickness
- ▲ Over 2700 rubber fingers/ft.²
- ▲ Borders
- ▲ Custom sizes available
- ▲ Medium to heavy duty



SIZE	PART CODE
24 in. x 32 in.	GFM222432
32 in. x 39 in.	GFM223239
36 in. x 72 in.	GFM223672

Style-Point

- ▲ The elegant look of berber with multidirectional wiper/scraper effectiveness
- ▲ Needlepunch construction
- ▲ 100% Polypropylene fibre with (PVC) Vinyl backing
- ▲ 27 oz./yd.² face weight
- ▲ .80 lbs./ft.² total weight
- ▲ Light to medium duty
- ▲ Custom Sizes and Edging program available




SIZE	PART CODE
3 ft. x 4 ft.	STPCC0304
3 ft. x 5 ft.	STPCC0305
3 ft. x 6 ft.	STPCC0306
3 ft. x 10 ft.	STPCC0310
4 ft. x 6 ft.	STPCC0406
4 ft. x 8 ft.	STPCC0408
4 ft. x 10 ft.	STPCC0410
3 ft. Roll*/Cut	STPCC0300
4 ft. Roll*/Cut	STPCC0400
6 ft. Roll*/Cut	STPCC0600



* Roll Lengths 60 ft. +/- CC = Colour Number

Herringbone

- ▲ Herringbone 'V' pattern adds a dynamic look to an excellent wiper/scraper mat
- ▲ Needlepunch construction
- ▲ Chevron face style with (PVC) Vinyl backing
- ▲ 100% Polypropylene fibre
- ▲ 27 oz./yd.² face weight
- ▲ .80 lbs./ft.² total weight
- ▲ Medium to heavy duty
- ▲ Custom Sizes and Edging program available



SIZE	PART CODE
3 ft. x 4 ft.	HBNCC0304
3 ft. x 5 ft.	HBNCC0305
3 ft. x 6 ft.	HBNCC0306
3 ft. x 10 ft.	HBNCC0310
4 ft. x 6 ft.	HBNCC0406
4 ft. x 8 ft.	HBNCC0408
4 ft. x 10 ft.	HBNCC0410
3 ft. Roll*/Cut	HBNCC0300
4 ft. Roll*/Cut	HBNCC0400
6 ft. Roll*/Cut	HBNCC0600

* Roll Lengths 60 ft. +/- CC = Colour Number




SIZE	PART CODE
2 ft. x 3 ft.	PTFCC0203
3 ft. x 4 ft.	PTFCC0304
3 ft. x 5 ft.	PTFCC0305
3 ft. x 6 ft.	PTFCC0306
3 ft. x 10 ft.	PTFCC0310
4 ft. x 6 ft.	PTFCC0406
4 ft. x 8 ft.	PTFCC0408
4 ft. x 10 ft.	PTFCC0410
3 ft. Roll*/Cut	PTFCC0300
4 ft. Roll*/Cut	PTFCC0400
6 ft. Roll*/Cut	PTFCC0600

* Roll Lengths 60 ft. +/- CC = Colour Number

Poly-Tuft

- ▲ Solid value in a cut pile wiper mat a "perennial favorite"
- ▲ Tufted construction
- ▲ 100% Polypropylene fibre with (PVC) Vinyl backing
- ▲ 15 oz./yd.² face weight
- ▲ .70 lbs./ft.² total weight
- ▲ Light to medium duty
- ▲ Custom Sizes and Edging program available





1730 rue Bantree Road
Ottawa ON K1B 3W4
Tel./Tel. 613.746.8642
Fax./Telec. 613.746.7485

www.romco.ca



6221 Highway #7
Unit #4, Building B
Woodbridge, ON L4H 0K8
Tel./Tel. 905.850.8825
Fax./Telec. 905.850.1725

www.sipp.ca

Additional Product Lines:

- ▲ Synthetic Sports Surfacing
- ▲ Entrance Floor Grilles (Aluminum, Carpet and Vinyl)
- ▲ Commercial Tile and Broadloom

